

# SAFETY DATA SHEET

Revision Date 07-Aug-2019 Version 1

# 1. IDENTIFICATION

Product identifier

Product Name EVERCOAT COLOR AGENT BROWN

Other means of identification

Product Code 100506

Recommended use of the chemical and restrictions on use

Recommended Use Coloring agent

Uses advised against Uses other than recommended use.

Details of the supplier of the safety data sheet

**Manufacturer Address** 

ITW Evercoat A division of Illinois Tool Works Inc.

6600 Cornell Road Cincinnati, OH 45242 USA

513-489-7600

24-hour emergency phone number

CHEMTREC: 1-800-424-9300 INTERNATIONAL: 1-703-527-3887

E-mail address: Info@evercoat.com

May Also Be Distributed by:

ITW Permatex Canada 101-2360 Bristol Circle

Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

# 2. HAZARDS IDENTIFICATION

### Classification

# **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2A
Flammable liquids	Category 3

### Label elements

# **Emergency Overview**

# Signal word Warning

Causes serious eye irritation Flammable liquid and vapor



Appearance Brown Physical state Liquid Odor Characteristic

**Precautionary Statements - Prevention** 

Wash face, hands and any exposed skin thoroughly after handling

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ ventilating/ lighting/ equipment

Use non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

In case of fire: Use CO2, dry chemical, or foam to extinguish.

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

May be harmful if swallowed.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Calcium Carbonate	471-34-1	10 - 30
Diacetone Alcohol	123-42-2	10 - 30
Red Iron Oxide	1309-37-1	5 - 10

# 4. FIRST AID MEASURES

### **Description of first aid measures**

**General advice** Get medical advice/attention if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

**Skin contact** IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician.

Take off contaminated clothing and wash before reuse.

**Inhalation** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

Ingestion IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Call a physician.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** See section 2 for more information.

### Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical, Foam

#### Unsuitable extinguishing media

None

### Specific hazards arising from the chemical

Flammable.

**Explosion data** 

**Sensitivity to Mechanical Impact** None. Sensitivity to Static Discharge

None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions Remove all sources of ignition. Use personal protective equipment as required.

Environmental precautions

**Environmental precautions** See section 12 for additional ecological information. Do not flush into surface water or

sanitary sewer system.

Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. **Methods for containment** 

Methods for cleaning up Soak up with inert absorbent material.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

### 7. HANDLING AND STORAGE

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid breathing Advice on safe handling

> vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric **Storage Conditions** 

motors and static electricity).

Incompatible materials Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium Carbonate	-	-	TWA: 10 mg/m <sup>3</sup> total dust
471-34-1			TWA: 5 mg/m <sup>3</sup> respirable dust
Diacetone Alcohol	TWA: 50 ppm	TWA: 50 ppm	IDLH: 1800 ppm
123-42-2		TWA: 240 mg/m <sup>3</sup>	TWA: 50 ppm
		(vacated) TWA: 50 ppm	TWA: 240 mg/m <sup>3</sup>
		(vacated) TWA: 240 mg/m <sup>3</sup>	_
Red Iron Oxide	TWA: 5 mg/m <sup>3</sup> respirable	TWA: 10 mg/m <sup>3</sup> fume	IDLH: 2500 mg/m <sup>3</sup> Fe dust and
1309-37-1	particulate matter	TWA: 15 mg/m³ total dust	fume
		TWA: 5 mg/m³ respirable fraction	TWA: 5 mg/m <sup>3</sup> Fe dust and fume
		(vacated) TWA: 10 mg/m³ fume	-
		and total dust Iron oxide	
		(vacated) TWA: 5 mg/m³ respirable	
		fraction regulated under Rouge	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.

**Respiratory protection**Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as

appropriate.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceBrown

**Odor** Characteristic

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

PH
No information available
170 °C / 338 °F
54 °C / 129 °F
No information available
Flammability (solid, gas)
Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure

No information available
No information available
No information available

Vapor pressureNo information availableVapor densityNo information availableRelative densityNo information availableWater solubilityNo information availableSolubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information available

Decomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
Bulk density
SADT (self-accelerating
No information available
No information available
No information available
No information available

decomposition temperature)

# 10. STABILITY AND REACTIVITY

### Reactivity

No information available

#### Chemical stability

Stable under normal conditions

### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Excessive heat.

### Incompatible materials

Strong oxidizing agents

# **Hazardous Decomposition Products**

Carbon oxides

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Inhalation** May cause irritation of respiratory tract.

Eye contact Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

**Skin contact** May cause skin irritation and/or dermatitis.

**Ingestion** Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium Carbonate	= 6450 mg/kg (Rat)	-	-
471-34-1			
Diacetone Alcohol	> 4 g/kg (Rat)	= 13630 mg/kg (Rabbit) = 13500	> 7.23 g/m³ (Rat ) 8 h
123-42-2		mg/kg (Rabbit)	
Red Iron Oxide	> 10000 mg/kg (Rat)	-	-
1309-37-1			

## Information on toxicological effects

**Symptoms** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Red Iron Oxide	-	Group 3	-	-
1309-37-1				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Chronic toxicity** May cause adverse liver effects.

**Target Organ Effects** Central nervous system, Eyes, Liver, Respiratory system, Skin, Lungs, Lymphatic System.

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 3469 mg/kg

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

#### Persistence and degradability

No information available.

#### Bioaccumulation

No information available.

#### **Mobility**

No information available.

Chemical Name	Partition coefficient
Diacetone Alcohol	1.03
123-42-2	

### Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and Disposal of wastes

regulations.

Contaminated packaging Do not reuse container.

D001 **US EPA Waste Number** 

# 14. TRANSPORT INFORMATION

This information is not intended to convey all specific regulatory information relating to this product. Note:

Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. It is the responsibility of the transporting organization to follow all

applicable laws, regulations and rules relating to the transportation of the material.

DOT

UN/ID No UN1263 Paint Proper shipping name:

Hazard Class 3
Packing Group III

IATA

Proper shipping name: Not Determined

**IMDG** 

Proper shipping name: Not Determined

# 15. REGULATORY INFORMATION

### **International Inventories**

**TSCA** Complies Complies **DSL/NDSL** Not determined **EINECS/ELINCS** Not determined **ENCS** Complies **IECSC KECL** Complies Complies **PICCS AICS** Complies

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Nonylphenol, Ethoxylated Surfactant - 127087-87-0	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

# **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals. Potential exposure to some or all of the California Proposition 65 chemicals in this product have been determined to be below the "NO SIGNIFICANT RISK LEVEL" (NSRL).

Chemical Name California Proposition 65	(1.6.1.2).		
		Chemical Name	California Proposition 65

Carbon Black - 1333-86-4	Carcinogen

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Diacetone Alcohol 123-42-2	X	X	X
Red Iron Oxide 1309-37-1	X	X	X
Carbon Black 1333-86-4	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

### **WHMIS Hazard Class**

B3 - Combustible liquid

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 2 Instability 0 -

HMIS Health hazards 2 Flammability 2 Physical hazards 0 Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 07-Aug-2019

#### **Disclaimer**

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

**End of Safety Data Sheet**